



Thermal Transfer Ribbons

~ Flat Head CSI ~

Now PROVIDING
DIGITAL
PRINTING

B220 RESIN ENHANCED PREMIUM WAX

Part Number	Formulation	Width (mm)	Length (M)	Width (in)	Length (F)	Core	Printer	Case Quantity
B220040CIS	WAX	40	360	1.57	1,181	FIBER	DATAMAX/SATO	36
B220044CIS	WAX	44	360	1.73	1,181	FIBER	DATAMAX/SATO	48
B220051CIS	WAX	51	360	2.01	1,181	FIBER	DATAMAX/SATO	48
B220053CIS	WAX	53	360	2.09	1,181	FIBER	DATAMAX/SATO	48
B220057CIS	WAX	57	360	2.24	1,181	FIBER	DATAMAX/SATO	36
B220060CIS	WAX	60	360	2.36	1,181	FIBER	DATAMAX/SATO	36
B220064CIS	WAX	64	360	2.52	1,181	FIBER	DATAMAX/SATO	36
B220076CIS	WAX	76	360	2.99	1,181	FIBER	DATAMAX/SATO	24
B220080CIS	WAX	80	360	3.15	1,181	FIBER	DATAMAX/SATO	24
B220083CIS	WAX	83	360	3.27	1,181	FIBER	DATAMAX/SATO	24
B220090CIS	WAX	90	360	3.54	1,181	FIBER	DATAMAX/SATO	24
B220102CIS	WAX	102	360	4.02	1,181	FIBER	DATAMAX/SATO	24
B220104CIS	WAX	104	360	4.09	1,181	FIBER	DATAMAX/SATO	24
B220106CIS	WAX	106	360	4.17	1,181	FIBER	DATAMAX/SATO	24
B220108CIS	WAX	108	360	4.25	1,181	FIBER	DATAMAX/SATO	24
B220110CIS	WAX	110	360	4.33	1,181	FIBER	DATAMAX/SATO	24
B220114CIS	WAX	114	360	4.49	1,181	FIBER	DATAMAX/SATO	24
B220128CIS	WAX	128	360	5.04	1,181	FIBER	DATAMAX/SATO	12
B220130CIS	WAX	130	360	5.12	1,181	FIBER	DATAMAX/SATO	12
B220152CIS	WAX	152	360	5.98	1,181	FIBER	DATAMAX/SATO	12
B220165CIS	WAX	165	360	6.50	1,181	FIBER	DATAMAX/SATO	12
B220184CIS	WAX	184	360	7.24	1,181	FIBER	DATAMAX/SATO	12
B220220CIS	WAX	220	360	8.66	1,181	FIBER	DATAMAX/SATO	12
B220038DIS	WAX	38	410	1.50	1,345	FIBER	DATAMAX/SATO	36
B220040DIS	WAX	40	410	1.57	1,345	FIBER	DATAMAX/SATO	36
B220051DIS	WAX	51	410	2.01	1,345	FIBER	DATAMAX/SATO	48
B220053DIS	WAX	53	410	2.09	1,345	FIBER	DATAMAX/SATO	48
B220058DIS	WAX	58	410	2.28	1,345	FIBER	DATAMAX/SATO	36
B220060DIS	WAX	60	410	2.36	1,345	FIBER	DATAMAX/SATO	36
B220064DIS	WAX	64	410	2.52	1,345	FIBER	DATAMAX/SATO	36
B220071DIS	WAX	71	410	2.80	1,345	FIBER	DATAMAX/SATO	36
B220076DIS	WAX	76	410	2.99	1,345	FIBER	DATAMAX/SATO	24
B220080DIS	WAX	80	410	3.15	1,345	FIBER	DATAMAX/SATO	24
B220083DIS	WAX	83	410	3.27	1,345	FIBER	DATAMAX/SATO	24
B220089DIS	WAX	89	410	3.50	1,345	FIBER	DATAMAX/SATO	24
B220091DIS	WAX	91	410	3.58	1,345	FIBER	DATAMAX/SATO	24
B220095DIS	WAX	95	410	3.74	1,345	FIBER	DATAMAX/SATO	24
B220102DIS	WAX	102	410	4.02	1,345	FIBER	DATAMAX/SATO	24
B220106DIS	WAX	106	410	4.17	1,345	FIBER	DATAMAX/SATO	24
B220108DIS	WAX	108	410	4.25	1,345	FIBER	DATAMAX/SATO	24
B220110DIS	WAX	110	410	4.33	1,345	FIBER	DATAMAX/SATO	24
B220114DIS	WAX	114	410	4.49	1,345	FIBER	DATAMAX/SATO	24
B220120DIS	WAX	120	410	4.72	1,345	FIBER	DATAMAX/SATO	12
B220127DIS	WAX	127	410	5.00	1,345	FIBER	DATAMAX/SATO	12
B220130DIS	WAX	130	410	5.12	1,345	FIBER	DATAMAX/SATO	12
B220140DIS	WAX	140	410	5.51	1,345	FIBER	DATAMAX/SATO	12
B220152DIS	WAX	152	410	5.98	1,345	FIBER	DATAMAX/SATO	12
B220156DIS	WAX	156	410	6.14	1,345	FIBER	DATAMAX/SATO	12
B220165DIS	WAX	165	410	6.50	1,345	FIBER	DATAMAX/SATO	12
B220051EIS	WAX	51	450	2.01	1,476	FIBER	DATAMAX/SATO	48
B220060EIS	WAX	60	450	2.36	1,476	FIBER	DATAMAX/SATO	36
B220064EIS	WAX	64	450	2.52	1,476	FIBER	DATAMAX/SATO	36
B220076EIS	WAX	76	450	2.99	1,476	FIBER	DATAMAX/SATO	24
B220080EIS	WAX	80	450	3.15	1,476	FIBER	DATAMAX/SATO	24
B220083EIS	WAX	83	450	3.27	1,476	FIBER	DATAMAX/SATO	24
B220089EIS	WAX	89	450	3.50	1,476	FIBER	DATAMAX/SATO	24
B220102EIS	WAX	102	450	4.02	1,476	FIBER	DATAMAX/SATO	24
B220106EIS	WAX	106	450	4.17	1,476	FIBER	DATAMAX/SATO	24
B220110EIS	WAX	110	450	4.33	1,476	FIBER	DATAMAX/SATO	24
B220114EIS	WAX	114	450	4.49	1,476	FIBER	DATAMAX/SATO	24
B220127EIS	WAX	127	450	5.00	1,476	FIBER	DATAMAX/SATO	12
B220130EIS	WAX	130	450	5.12	1,476	FIBER	DATAMAX/SATO	12
B220152EIS	WAX	152	450	5.98	1,476	FIBER	DATAMAX/SATO	12
B220165EIS	WAX	165	450	6.50	1,476	FIBER	DATAMAX/SATO	12
B220178EIS	WAX	178	450	7.01	1,476	FIBER	DATAMAX/SATO	12
B220184EIS	WAX	184	450	7.24	1,476	FIBER	DATAMAX/SATO	12

B220203EIS	WAX	203	450	7.99	1,476	FIBER	DATAMAX/SATO	12
B220216EIS	WAX	216	450	8.50	1,476	FIBER	DATAMAX/SATO	12
B220220EIS	WAX	220	450	8.66	1,476	FIBER	DATAMAX/SATO	12
B220080FIS	WAX	80	500	3.15	1,641	FIBER	DATAMAX/SATO	24
B220090FIS	WAX	90	500	3.54	1,641	FIBER	DATAMAX/SATO	24
B220102FIS	WAX	102	500	4.02	1,641	FIBER	DATAMAX/SATO	24
B220111FIS	WAX	111	500	4.37	1,641	FIBER	DATAMAX/SATO	24
B220040TIS	WAX	40	600	1.57	1,969	FIBER	DATAMAX/SATO	24
B220044TIS	WAX	44	600	1.73	1,969	FIBER	DATAMAX/SATO	24
B220051TIS	WAX	51	600	2.01	1,969	FIBER	DATAMAX/SATO	24
B220053TIS	WAX	53	600	2.09	1,969	FIBER	DATAMAX/SATO	24
B220076TIS	WAX	76	600	2.99	1,969	FIBER	DATAMAX/SATO	24
B220080TIS	WAX	80	600	3.15	1,969	FIBER	DATAMAX/SATO	24
B220082TIS	WAX	82	600	3.23	1,969	FIBER	DATAMAX/SATO	24
B220083TIS	WAX	83	600	3.27	1,969	FIBER	DATAMAX/SATO	24
B220089TIS	WAX	89	600	3.50	1,969	FIBER	DATAMAX/SATO	24
B220090TIS	WAX	90	600	3.54	1,969	FIBER	DATAMAX/SATO	24
B220095TIS	WAX	95	600	3.74	1,969	FIBER	DATAMAX/SATO	24
B220102TIS	WAX	102	600	4.02	1,969	FIBER	DATAMAX/SATO	12
B220106TIS	WAX	106	600	4.17	1,969	FIBER	DATAMAX/SATO	12
B220110TIS	WAX	110	600	4.33	1,969	FIBER	DATAMAX/SATO	12
B220114TIS	WAX	114	600	4.49	1,969	FIBER	DATAMAX/SATO	12
B220130TIS	WAX	130	600	5.12	1,969	FIBER	DATAMAX/SATO	12
B220140TIS	WAX	140	600	5.51	1,969	FIBER	DATAMAX/SATO	12
B220162TIS	WAX	162	600	6.38	1,969	FIBER	DATAMAX/SATO	12
B220220TIS	WAX	220	600	8.66	1,969	FIBER	DATAMAX/SATO	12
B220053LIA-N	WAX	53	610	2.09	2,001	NOTCHED	AUTOBAG	24
B220076LIA-N	WAX	76	610	2.99	2,001	NOTCHED	AUTOBAG	24
B220080LIA-N	WAX	80	610	3.15	2,001	NOTCHED	AUTOBAG	24
B220089LIA-N	WAX	89	610	3.50	2,001	NOTCHED	AUTOBAG	24
B220102LIA-N	WAX	102	610	4.02	2,001	NOTCHED	AUTOBAG	12
B220104LIA-N	WAX	104	610	4.09	2,001	NOTCHED	AUTOBAG	12
B220106LIA-N	WAX	106	610	4.17	2,001	NOTCHED	AUTOBAG	12
B220108LIA-N	WAX	108	610	4.25	2,001	NOTCHED	AUTOBAG	12
B220120LIA-N	WAX	120	610	4.72	2,001	NOTCHED	AUTOBAG	12

B121 FLEXIBLE WAX RESIN

Part Number	Formulation	Width (mm)	Length (M)	Width (in)	Length (F)	Core	Printer	Case Quantity
B121053CIS	WAX RESIN	53	360	2.09	1,181	FIBER	DATAMAX/SATO	48
B121076CIS	WAX RESIN	76	360	2.99	1,181	FIBER	DATAMAX/SATO	24
B121089CIS	WAX RESIN	89	360	3.50	1,181	FIBER	DATAMAX/SATO	24
B121102CIS	WAX RESIN	102	360	4.02	1,181	FIBER	DATAMAX/SATO	24
B121108CIS	WAX RESIN	108	360	4.25	1,181	FIBER	DATAMAX/SATO	24
B121110CIS	WAX RESIN	110	360	4.33	1,181	FIBER	DATAMAX/SATO	24
B121114CIS	WAX RESIN	114	360	4.49	1,181	FIBER	DATAMAX/SATO	24
B121152CIS	WAX RESIN	152	360	5.98	1,181	FIBER	DATAMAX/SATO	12
B121165CIS	WAX RESIN	165	360	6.50	1,181	FIBER	DATAMAX/SATO	12
B121064DIS	WAX RESIN	64	410	2.52	1,345	FIBER	DATAMAX/SATO	36
B121076DIS	WAX RESIN	76	410	2.99	1,345	FIBER	DATAMAX/SATO	24
B121080DIS	WAX RESIN	80	410	3.15	1,345	FIBER	DATAMAX/SATO	24
B121089DIS	WAX RESIN	89	410	3.50	1,345	FIBER	DATAMAX/SATO	24
B121102DIS	WAX RESIN	102	410	4.02	1,345	FIBER	DATAMAX/SATO	24
B121110DIS	WAX RESIN	110	410	4.33	1,345	FIBER	DATAMAX/SATO	24
B121127DIS	WAX RESIN	127	410	5.00	1,345	FIBER	DATAMAX/SATO	12
B121165DIS	WAX RESIN	165	410	6.50	1,345	FIBER	DATAMAX/SATO	12

B128 DURABLE WAX RESIN

Part Number	Formulation	Width (mm)	Length (M)	Width (in)	Length (F)	Core	Printer	Case Quantity
B128025CIS	WAX RESIN	25	360	0.98	1,181	FIBER	DATAMAX/SATO	48
B128044CIS	WAX RESIN	44	360	1.73	1,181	FIBER	DATAMAX/SATO	36
B128053CIS	WAX RESIN	53	360	2.09	1,181	FIBER	DATAMAX/SATO	48
B128060CIS	WAX RESIN	60	360	2.36	1,181	FIBER	DATAMAX/SATO	36
B128064CIS	WAX RESIN	64	360	2.52	1,181	FIBER	DATAMAX/SATO	36
B128076CIS	WAX RESIN	76	360	2.99	1,181	FIBER	DATAMAX/SATO	24
B128080CIS	WAX RESIN	80	360	3.15	1,181	FIBER	DATAMAX/SATO	24
B128089CIS	WAX RESIN	89	360	3.50	1,181	FIBER	DATAMAX/SATO	24
B128102CIS	WAX RESIN	102	360	4.02	1,181	FIBER	DATAMAX/SATO	24
B128108CIS	WAX RESIN	108	360	4.25	1,181	FIBER	DATAMAX/SATO	24
B128110CIS	WAX RESIN	110	360	4.33	1,181	FIBER	DATAMAX/SATO	24
B128110CIS-CAB	WAX RESIN	110	360	4.33	1,181	FIBER	CAB	6
B128114CIS	WAX RESIN	114	360	4.49	1,181	FIBER	DATAMAX/SATO	24
B128128CIS	WAX RESIN	128	360	5.04	1,181	FIBER	DATAMAX/SATO	12
B128140CIS	WAX RESIN	140	360	5.51	1,181	FIBER	DATAMAX/SATO	12
B128152CIS	WAX RESIN	152	360	5.98	1,181	FIBER	DATAMAX/SATO	12

B128165CIS	WAX RESIN	165	360	6.50	1,181	FIBER	DATAMAX/SATO	12
B128165CIS-CAB	WAX RESIN	165	360	6.50	1,181	FIBER	CAB	6
B128273CIS	WAX RESIN	273	360	10.75	1,181	FIBER	SATO	12
B128053DIS	WAX RESIN	53	410	2.09	1,345	FIBER	DATAMAX/SATO	48
B128060DIS	WAX RESIN	60	410	2.36	1,345	FIBER	DATAMAX/SATO	36
B128064DIS	WAX RESIN	64	410	2.52	1,345	FIBER	DATAMAX/SATO	36
B128076DIS	WAX RESIN	76	410	2.99	1,345	FIBER	DATAMAX/SATO	24
B128080DIS	WAX RESIN	80	410	3.15	1,345	FIBER	DATAMAX/SATO	24
B128083DIS	WAX RESIN	83	410	3.27	1,345	FIBER	DATAMAX/SATO	24
B128102DIS	WAX RESIN	102	410	4.02	1,345	FIBER	DATAMAX/SATO	24
B128106DIS	WAX RESIN	106	410	4.17	1,345	FIBER	DATAMAX/SATO	24
B128110DIS	WAX RESIN	110	410	4.33	1,345	FIBER	DATAMAX/SATO	24
B128128DIS	WAX RESIN	128	410	5.04	1,345	FIBER	DATAMAX/SATO	12
B128130DIS	WAX RESIN	130	410	5.12	1,345	FIBER	DATAMAX/SATO	12
B128152DIS	WAX RESIN	152	410	5.98	1,345	FIBER	DATAMAX/SATO	12
B128165DIS	WAX RESIN	165	410	6.50	1,345	FIBER	DATAMAX/SATO	12
B128040TIS	WAX RESIN	40	600	1.57	1,969	FIBER	DATAMAX/SATO	36
B128083TIS	WAX RESIN	83	600	3.27	1,969	FIBER	DATAMAX/SATO	24
B128102TIS	WAX RESIN	102	600	4.02	1,969	FIBER	DATAMAX/SATO	12
B128110TIS	WAX RESIN	110	600	4.33	1,969	FIBER	DATAMAX/SATO	12

B120 EXTREME WAX RESIN

Part Number	Formulation	Width (mm)	Length (M)	Width (in)	Length (F)	Core	Printer	Case Quantity
B120053CIS	WAX RESIN	53	360	2.09	1,181	FIBER	DATAMAX/SATO	48
B120076CIS	WAX RESIN	76	360	2.99	1,181	FIBER	DATAMAX/SATO	24
B120089CIS	WAX RESIN	89	360	3.50	1,181	FIBER	DATAMAX/SATO	24
B120102CIS	WAX RESIN	102	360	4.02	1,181	FIBER	DATAMAX/SATO	24
B120108CIS	WAX RESIN	108	360	4.25	1,181	FIBER	DATAMAX/SATO	24
B120110CIS	WAX RESIN	110	360	4.33	1,181	FIBER	DATAMAX/SATO	24
B120114CIS	WAX RESIN	114	360	4.49	1,181	FIBER	DATAMAX/SATO	24
B120152CIS	WAX RESIN	152	360	5.98	1,181	FIBER	DATAMAX/SATO	12
B120165CIS	WAX RESIN	165	360	6.50	1,181	FIBER	DATAMAX/SATO	12
B120064DIS	WAX RESIN	64	410	2.52	1,345	FIBER	DATAMAX/SATO	36
B120076DIS	WAX RESIN	76	410	2.99	1,345	FIBER	DATAMAX/SATO	24
B120080DIS	WAX RESIN	80	410	3.15	1,345	FIBER	DATAMAX/SATO	24
B120089DIS	WAX RESIN	89	410	3.50	1,345	FIBER	DATAMAX/SATO	24
B120102DIS	WAX RESIN	102	410	4.02	1,345	FIBER	DATAMAX/SATO	24
B120110DIS	WAX RESIN	110	410	4.33	1,345	FIBER	DATAMAX/SATO	24
B120127DIS	WAX RESIN	127	410	5.00	1,345	FIBER	DATAMAX/SATO	12
B120165DIS	WAX RESIN	165	410	6.50	1,345	FIBER	DATAMAX/SATO	12

B120R EXTREME WAX RESIN RED

Part Number	Formulation	Width (mm)	Length (M)	Width (in)	Length (F)	Core	Printer	Case Quantity
B120R053CIS	WAX RESIN	53	360	2.09	1,181	FIBER	DATAMAX/SATO	48
B120R076CIS	WAX RESIN	76	360	2.99	1,181	FIBER	DATAMAX/SATO	24
B120R089CIS	WAX RESIN	89	360	3.50	1,181	FIBER	DATAMAX/SATO	24
B120R102CIS	WAX RESIN	102	360	4.02	1,181	FIBER	DATAMAX/SATO	24
B120R108CIS	WAX RESIN	108	360	4.25	1,181	FIBER	DATAMAX/SATO	24
B120R110CIS	WAX RESIN	110	360	4.33	1,181	FIBER	DATAMAX/SATO	24
B120R110CIS-CAB	WAX RESIN	110	360	4.33	1,181	FIBER	CAB	6
B120R114CIS	WAX RESIN	114	360	4.49	1,181	FIBER	DATAMAX/SATO	24
B120R152CIS	WAX RESIN	152	360	5.98	1,181	FIBER	DATAMAX/SATO	12
B120R165CIS	WAX RESIN	165	360	6.50	1,181	FIBER	DATAMAX/SATO	12
B120R165CIS-CAB	WAX RESIN	165	360	6.50	1,181	FIBER	CAB	6
B120R064DIS	WAX RESIN	64	410	2.52	1,345	FIBER	DATAMAX/SATO	36
B120R076DIS	WAX RESIN	76	410	2.99	1,345	FIBER	DATAMAX/SATO	24
B120R080DIS	WAX RESIN	80	410	3.15	1,345	FIBER	DATAMAX/SATO	24
B120R089DIS	WAX RESIN	89	410	3.50	1,345	FIBER	DATAMAX/SATO	24
B120R102DIS	WAX RESIN	102	410	4.02	1,345	FIBER	DATAMAX/SATO	24
B120R110DIS	WAX RESIN	110	410	4.33	1,345	FIBER	DATAMAX/SATO	24
B120R127DIS	WAX RESIN	127	410	5.00	1,345	FIBER	DATAMAX/SATO	12
B120R165DIS	WAX RESIN	165	410	6.50	1,345	FIBER	DATAMAX/SATO	12

B325 FLEXIBLE RESIN

Part Number	Formulation	Width (mm)	Length (M)	Width (in)	Length (F)	Core	Printer	Case Quantity
B325040CIS	RESIN	40	360	1.57	1,181	FIBER	DATAMAX/SATO	24
B325053CIS	RESIN	53	360	2.09	1,181	FIBER	DATAMAX/SATO	12
B325064CIS	RESIN	64	360	2.52	1,181	FIBER	DATAMAX/SATO	12
B325071CIS	RESIN	71	360	2.80	1,181	FIBER	DATAMAX/SATO	12
B325076CIS	RESIN	76	360	2.99	1,181	FIBER	DATAMAX/SATO	12
B325080CIS	RESIN	80	360	3.15	1,181	FIBER	DATAMAX/SATO	12
B325083CIS	RESIN	83	360	3.27	1,181	FIBER	DATAMAX/SATO	12
B325089CIS	RESIN	89	360	3.50	1,181	FIBER	DATAMAX/SATO	12

B325102CIS	RESIN	102	360	4.02	1,181	FIBER	DATAMAX/SATO	12
B325108CIS	RESIN	108	360	4.25	1,181	FIBER	DATAMAX/SATO	12
B325110CIS	RESIN	110	360	4.33	1,181	FIBER	DATAMAX/SATO	12
B325114CIS	RESIN	114	360	4.49	1,181	FIBER	DATAMAX/SATO	12
B325120CIS	RESIN	120	360	4.72	1,181	FIBER	DATAMAX/SATO	12
B325128CIS	RESIN	128	360	5.04	1,181	FIBER	DATAMAX/SATO	12
B325130CIS	RESIN	130	360	5.12	1,181	FIBER	DATAMAX/SATO	12
B325140CIS	RESIN	140	360	5.51	1,181	FIBER	DATAMAX/SATO	12
B325152CIS	RESIN	152	360	5.98	1,181	FIBER	DATAMAX/SATO	12
B325165CIS	RESIN	165	360	6.50	1,181	FIBER	DATAMAX/SATO	12
B325220CIS	RESIN	220	360	8.66	1,181	FIBER	DATAMAX/SATO	12
B325273CIS	RESIN	273	360	10.75	1,181	FIBER	SATO	12
B325040DIS	RESIN	40	410	1.57	1,345	FIBER	DATAMAX/SATO	24
B325053DIS	RESIN	53	410	2.09	1,345	FIBER	DATAMAX/SATO	12
B325064DIS	RESIN	64	410	2.52	1,345	FIBER	DATAMAX/SATO	12
B325076DIS	RESIN	76	410	2.99	1,345	FIBER	DATAMAX/SATO	12
B325080DIS	RESIN	80	410	3.15	1,345	FIBER	DATAMAX/SATO	12
B325089DIS	RESIN	89	410	3.50	1,345	FIBER	DATAMAX/SATO	12
B325096DIS	RESIN	96	410	3.78	1,345	FIBER	DATAMAX/SATO	12
B325102DIS	RESIN	102	410	4.02	1,345	FIBER	DATAMAX/SATO	12
B325114DIS	RESIN	114	410	4.49	1,345	FIBER	DATAMAX/SATO	12
B325120DIS	RESIN	120	410	4.72	1,345	FIBER	DATAMAX/SATO	12
B325127DIS	RESIN	127	410	5.00	1,345	FIBER	DATAMAX/SATO	12
B325128DIS	RESIN	128	410	5.04	1,345	FIBER	DATAMAX/SATO	12
B325130DIS	RESIN	130	410	5.12	1,345	FIBER	DATAMAX/SATO	12
B325152DIS	RESIN	152	410	5.98	1,345	FIBER	DATAMAX/SATO	12
B325165DIS	RESIN	165	410	6.50	1,345	FIBER	DATAMAX/SATO	12
B325025TIS	RESIN	25	600	0.98	1,969	FIBER	DATAMAX/SATO	24
B325040TIS	RESIN	40	600	1.57	1,969	FIBER	DATAMAX/SATO	24
B325053TIS	RESIN	53	600	2.09	1,969	FIBER	DATAMAX/SATO	12
B325080TIS	RESIN	80	600	3.15	1,969	FIBER	DATAMAX/SATO	12
B325083TIS	RESIN	83	600	3.27	1,969	FIBER	DATAMAX/SATO	12
B325110TIS	RESIN	110	600	4.33	1,969	FIBER	DATAMAX/SATO	12
B325152TIS	RESIN	152	600	5.98	1,969	FIBER	DATAMAX/SATO	12

B325W FLEXIBLE RESIN WHITE

Part Number	Formulation	Width (mm)	Length (M)	Width (in)	Length (F)	Core	Printer	Case Quantity
B325W040CIS	RESIN	40	360	1.57	1,181	FIBER	DATAMAX/SATO	24
B325W053CIS	RESIN	53	360	2.09	1,181	FIBER	DATAMAX/SATO	12
B325W064CIS	RESIN	64	360	2.52	1,181	FIBER	DATAMAX/SATO	12
B325W071CIS	RESIN	71	360	2.80	1,181	FIBER	DATAMAX/SATO	12
B325W076CIS	RESIN	76	360	2.99	1,181	FIBER	DATAMAX/SATO	12
B325W080CIS	RESIN	80	360	3.15	1,181	FIBER	DATAMAX/SATO	12
B325W083CIS	RESIN	83	360	3.27	1,181	FIBER	DATAMAX/SATO	12
B325W089CIS	RESIN	89	360	3.50	1,181	FIBER	DATAMAX/SATO	12
B325W102CIS	RESIN	102	360	4.02	1,181	FIBER	DATAMAX/SATO	12
B325W108CIS	RESIN	108	360	4.25	1,181	FIBER	DATAMAX/SATO	12
B325W110CIS	RESIN	110	360	4.33	1,181	FIBER	DATAMAX/SATO	12
B325W114CIS	RESIN	114	360	4.49	1,181	FIBER	DATAMAX/SATO	12
B325W120CIS	RESIN	120	360	4.72	1,181	FIBER	DATAMAX/SATO	12
B325W128CIS	RESIN	128	360	5.04	1,181	FIBER	DATAMAX/SATO	12
B325W130CIS	RESIN	130	360	5.12	1,181	FIBER	DATAMAX/SATO	12
B325W140CIS	RESIN	140	360	5.51	1,181	FIBER	DATAMAX/SATO	12
B325W152CIS	RESIN	152	360	5.98	1,181	FIBER	DATAMAX/SATO	12
B325W165CIS	RESIN	165	360	6.50	1,181	FIBER	DATAMAX/SATO	12
B325W220CIS	RESIN	220	360	8.66	1,181	FIBER	DATAMAX/SATO	12
B325W040DIS	RESIN	40	410	1.57	1,345	FIBER	DATAMAX/SATO	24
B325W053DIS	RESIN	53	410	2.09	1,345	FIBER	DATAMAX/SATO	12
B325W064DIS	RESIN	64	410	2.52	1,345	FIBER	DATAMAX/SATO	12
B325W076DIS	RESIN	76	410	2.99	1,345	FIBER	DATAMAX/SATO	12
B325W080DIS	RESIN	80	410	3.15	1,345	FIBER	DATAMAX/SATO	12
B325W089DIS	RESIN	89	410	3.50	1,345	FIBER	DATAMAX/SATO	12
B325W096DIS	RESIN	96	410	3.78	1,345	FIBER	DATAMAX/SATO	12
B325W102DIS	RESIN	102	410	4.02	1,345	FIBER	DATAMAX/SATO	12
B325W114DIS	RESIN	114	410	4.49	1,345	FIBER	DATAMAX/SATO	12
B325W120DIS	RESIN	120	410	4.72	1,345	FIBER	DATAMAX/SATO	12
B325W127DIS	RESIN	127	410	5.00	1,345	FIBER	DATAMAX/SATO	12
B325W128DIS	RESIN	128	410	5.04	1,345	FIBER	DATAMAX/SATO	12
B325W130DIS	RESIN	130	410	5.12	1,345	FIBER	DATAMAX/SATO	12
B325W152DIS	RESIN	152	410	5.98	1,345	FIBER	DATAMAX/SATO	12
B325W165DIS	RESIN	165	410	6.50	1,345	FIBER	DATAMAX/SATO	12
B325W040TIS	RESIN	40	600	1.57	1,969	FIBER	DATAMAX/SATO	24
B325W053TIS	RESIN	53	600	2.09	1,969	FIBER	DATAMAX/SATO	12
B325W080TIS	RESIN	80	600	3.15	1,969	FIBER	DATAMAX/SATO	12
B325W083TIS	RESIN	83	600	3.27	1,969	FIBER	DATAMAX/SATO	12
B325W110TIS	RESIN	110	600	4.33	1,969	FIBER	DATAMAX/SATO	12

B325W152TIS	RESIN	152	600	5.98	1,969	FIBER	DATAMAX/SATO	12
B324 DURABLE RESIN								
Part Number	Formulation	Width (mm)	Length (M)	Width (in)	Length (F)	Core	Printer	Case Quantity
B324110BIS-CAB	RESIN	110	300	4.33	984	FIBER	CAB	6
B324165BIS-CAB	RESIN	165	300	6.50	984	FIBER	CAB	6
B324040CIS	RESIN	40	360	1.57	1,181	FIBER	DATAMAX/SATO	24
B324053CIS	RESIN	53	360	2.09	1,181	FIBER	DATAMAX/SATO	12
B324064CIS	RESIN	64	360	2.52	1,181	FIBER	DATAMAX/SATO	12
B324071CIS	RESIN	71	360	2.80	1,181	FIBER	DATAMAX/SATO	12
B324076CIS	RESIN	76	360	2.99	1,181	FIBER	DATAMAX/SATO	12
B324080CIS	RESIN	80	360	3.15	1,181	FIBER	DATAMAX/SATO	12
B324083CIS	RESIN	83	360	3.27	1,181	FIBER	DATAMAX/SATO	12
B324089CIS	RESIN	89	360	3.50	1,181	FIBER	DATAMAX/SATO	12
B324102CIS	RESIN	102	360	4.02	1,181	FIBER	DATAMAX/SATO	12
B324108CIS	RESIN	108	360	4.25	1,181	FIBER	DATAMAX/SATO	12
B324110CIS	RESIN	110	360	4.33	1,181	FIBER	DATAMAX/SATO	12
B324114CIS	RESIN	114	360	4.49	1,181	FIBER	DATAMAX/SATO	12
B324120CIS	RESIN	120	360	4.72	1,181	FIBER	DATAMAX/SATO	12
B324128CIS	RESIN	128	360	5.04	1,181	FIBER	DATAMAX/SATO	12
B324130CIS	RESIN	130	360	5.12	1,181	FIBER	DATAMAX/SATO	12
B324140CIS	RESIN	140	360	5.51	1,181	FIBER	DATAMAX/SATO	12
B324152CIS	RESIN	152	360	5.98	1,181	FIBER	DATAMAX/SATO	12
B324165CIS	RESIN	165	360	6.50	1,181	FIBER	DATAMAX/SATO	12
B324220CIS	RESIN	220	360	8.66	1,181	FIBER	DATAMAX/SATO	12
B324273CIS	RESIN	273	360	10.75	1,181	FIBER	SATO	12
B324040DIS	RESIN	40	410	1.57	1,345	FIBER	DATAMAX/SATO	24
B324053DIS	RESIN	53	410	2.09	1,345	FIBER	DATAMAX/SATO	12
B324064DIS	RESIN	64	410	2.52	1,345	FIBER	DATAMAX/SATO	12
B324076DIS	RESIN	76	410	2.99	1,345	FIBER	DATAMAX/SATO	12
B324080DIS	RESIN	80	410	3.15	1,345	FIBER	DATAMAX/SATO	12
B324089DIS	RESIN	89	410	3.50	1,345	FIBER	DATAMAX/SATO	12
B324096DIS	RESIN	96	410	3.78	1,345	FIBER	DATAMAX/SATO	12
B324102DIS	RESIN	102	410	4.02	1,345	FIBER	DATAMAX/SATO	12
B324114DIS	RESIN	114	410	4.49	1,345	FIBER	DATAMAX/SATO	12
B324120DIS	RESIN	120	410	4.72	1,345	FIBER	DATAMAX/SATO	12
B324127DIS	RESIN	127	410	5.00	1,345	FIBER	DATAMAX/SATO	12
B324128DIS	RESIN	128	410	5.04	1,345	FIBER	DATAMAX/SATO	12
B324130DIS	RESIN	130	410	5.12	1,345	FIBER	DATAMAX/SATO	12
B324152DIS	RESIN	152	410	5.98	1,345	FIBER	DATAMAX/SATO	12
B324165DIS	RESIN	165	410	6.50	1,345	FIBER	DATAMAX/SATO	12
B324025TIS	RESIN	25	600	0.98	1,969	FIBER	DATAMAX/SATO	24
B324040TIS	RESIN	40	600	1.57	1,969	FIBER	DATAMAX/SATO	24
B324053TIS	RESIN	53	600	2.09	1,969	FIBER	DATAMAX/SATO	12
B324080TIS	RESIN	80	600	3.15	1,969	FIBER	DATAMAX/SATO	12
B324083TIS	RESIN	83	600	3.27	1,969	FIBER	DATAMAX/SATO	12
B324110TIS	RESIN	110	600	4.33	1,969	FIBER	DATAMAX/SATO	12
B324152TIS	RESIN	152	600	5.98	1,969	FIBER	DATAMAX/SATO	12
B324R DURABLE RESIN RED								
Part Number	Formulation	Width (mm)	Length (M)	Width (in)	Length (F)	Core	Printer	Case Quantity
B324R110BIS-CAB	RESIN	110	300	4.33	984	FIBER	CAB	6
B324R165BIS-CAB	RESIN	165	300	6.50	984	FIBER	CAB	6
B324R040CIS	RESIN	40	360	1.57	1,181	FIBER	DATAMAX/SATO	24
B324R053CIS	RESIN	53	360	2.09	1,181	FIBER	DATAMAX/SATO	12
B324R064CIS	RESIN	64	360	2.52	1,181	FIBER	DATAMAX/SATO	12
B324R071CIS	RESIN	71	360	2.80	1,181	FIBER	DATAMAX/SATO	12
B324R076CIS	RESIN	76	360	2.99	1,181	FIBER	DATAMAX/SATO	12
B324R080CIS	RESIN	80	360	3.15	1,181	FIBER	DATAMAX/SATO	12
B324R083CIS	RESIN	83	360	3.27	1,181	FIBER	DATAMAX/SATO	12
B324R089CIS	RESIN	89	360	3.50	1,181	FIBER	DATAMAX/SATO	12
B324R102CIS	RESIN	102	360	4.02	1,181	FIBER	DATAMAX/SATO	12
B324R108CIS	RESIN	108	360	4.25	1,181	FIBER	DATAMAX/SATO	12
B324R110CIS	RESIN	110	360	4.33	1,181	FIBER	DATAMAX/SATO	12
B324R114CIS	RESIN	114	360	4.49	1,181	FIBER	DATAMAX/SATO	12
B324R120CIS	RESIN	120	360	4.72	1,181	FIBER	DATAMAX/SATO	12
B324R128CIS	RESIN	128	360	5.04	1,181	FIBER	DATAMAX/SATO	12
B324R130CIS	RESIN	130	360	5.12	1,181	FIBER	DATAMAX/SATO	12
B324R140CIS	RESIN	140	360	5.51	1,181	FIBER	DATAMAX/SATO	12
B324R152CIS	RESIN	152	360	5.98	1,181	FIBER	DATAMAX/SATO	12
B324R165CIS	RESIN	165	360	6.50	1,181	FIBER	DATAMAX/SATO	12
B324R220CIS	RESIN	220	360	8.66	1,181	FIBER	DATAMAX/SATO	12
B324R040DIS	RESIN	40	410	1.57	1,345	FIBER	DATAMAX/SATO	24
B324R053DIS	RESIN	53	410	2.09	1,345	FIBER	DATAMAX/SATO	12
B324R064DIS	RESIN	64	410	2.52	1,345	FIBER	DATAMAX/SATO	12

B324R076DIS	RESIN	76	410	2.99	1,345	FIBER	DATAMAX/SATO	12
B324R080DIS	RESIN	80	410	3.15	1,345	FIBER	DATAMAX/SATO	12
B324R089DIS	RESIN	89	410	3.50	1,345	FIBER	DATAMAX/SATO	12
B324R096DIS	RESIN	96	410	3.78	1,345	FIBER	DATAMAX/SATO	12
B324R102DIS	RESIN	102	410	4.02	1,345	FIBER	DATAMAX/SATO	12
B324R114DIS	RESIN	114	410	4.49	1,345	FIBER	DATAMAX/SATO	12
B324R120DIS	RESIN	120	410	4.72	1,345	FIBER	DATAMAX/SATO	12
B324R127DIS	RESIN	127	410	5.00	1,345	FIBER	DATAMAX/SATO	12
B324R128DIS	RESIN	128	410	5.04	1,345	FIBER	DATAMAX/SATO	12
B324R130DIS	RESIN	130	410	5.12	1,345	FIBER	DATAMAX/SATO	12
B324R152DIS	RESIN	152	410	5.98	1,345	FIBER	DATAMAX/SATO	12
B324R165DIS	RESIN	165	410	6.50	1,345	FIBER	DATAMAX/SATO	12
B324R040TIS	RESIN	40	600	1.57	1,969	FIBER	DATAMAX/SATO	24
B324R053TIS	RESIN	53	600	2.09	1,969	FIBER	DATAMAX/SATO	12
B324R080TIS	RESIN	80	600	3.15	1,969	FIBER	DATAMAX/SATO	12
B324R083TIS	RESIN	83	600	3.27	1,969	FIBER	DATAMAX/SATO	12
B324R110TIS	RESIN	110	600	4.33	1,969	FIBER	DATAMAX/SATO	12
B324R152TIS	RESIN	152	600	5.98	1,969	FIBER	DATAMAX/SATO	12

B813 EXTREME RESIN

Part Number	Formulation	Width (mm)	Length (M)	Width (in)	Length (F)	Core	Printer	Case Quantity
B813040CIS	RESIN	40	360	1.57	1,181	FIBER	DATAMAX/SATO	24
B813053CIS	RESIN	53	360	2.09	1,181	FIBER	DATAMAX/SATO	12
B813064CIS	RESIN	64	360	2.52	1,181	FIBER	DATAMAX/SATO	12
B813071CIS	RESIN	71	360	2.80	1,181	FIBER	DATAMAX/SATO	12
B813076CIS	RESIN	76	360	2.99	1,181	FIBER	DATAMAX/SATO	12
B813080CIS	RESIN	80	360	3.15	1,181	FIBER	DATAMAX/SATO	12
B813083CIS	RESIN	83	360	3.27	1,181	FIBER	DATAMAX/SATO	12
B813089CIS	RESIN	89	360	3.50	1,181	FIBER	DATAMAX/SATO	12
B813102CIS	RESIN	102	360	4.02	1,181	FIBER	DATAMAX/SATO	12
B813108CIS	RESIN	108	360	4.25	1,181	FIBER	DATAMAX/SATO	12
B813110CIS	RESIN	110	360	4.33	1,181	FIBER	DATAMAX/SATO	12
B813114CIS	RESIN	114	360	4.49	1,181	FIBER	DATAMAX/SATO	12
B813120CIS	RESIN	120	360	4.72	1,181	FIBER	DATAMAX/SATO	12
B813128CIS	RESIN	128	360	5.04	1,181	FIBER	DATAMAX/SATO	12
B813130CIS	RESIN	130	360	5.12	1,181	FIBER	DATAMAX/SATO	12
B813140CIS	RESIN	140	360	5.51	1,181	FIBER	DATAMAX/SATO	12
B813152CIS	RESIN	152	360	5.98	1,181	FIBER	DATAMAX/SATO	12
B813165CIS	RESIN	165	360	6.50	1,181	FIBER	DATAMAX/SATO	12
B813220CIS	RESIN	220	360	8.66	1,181	FIBER	DATAMAX/SATO	12
B813040DIS	RESIN	40	410	1.57	1,345	FIBER	DATAMAX/SATO	24
B813053DIS	RESIN	53	410	2.09	1,345	FIBER	DATAMAX/SATO	12
B813064DIS	RESIN	64	410	2.52	1,345	FIBER	DATAMAX/SATO	12
B813076DIS	RESIN	76	410	2.99	1,345	FIBER	DATAMAX/SATO	12
B813080DIS	RESIN	80	410	3.15	1,345	FIBER	DATAMAX/SATO	12
B813089DIS	RESIN	89	410	3.50	1,345	FIBER	DATAMAX/SATO	12
B813096DIS	RESIN	96	410	3.78	1,345	FIBER	DATAMAX/SATO	12
B813102DIS	RESIN	102	410	4.02	1,345	FIBER	DATAMAX/SATO	12
B813114DIS	RESIN	114	410	4.49	1,345	FIBER	DATAMAX/SATO	12
B813120DIS	RESIN	120	410	4.72	1,345	FIBER	DATAMAX/SATO	12
B813127DIS	RESIN	127	410	5.00	1,345	FIBER	DATAMAX/SATO	12
B813128DIS	RESIN	128	410	5.04	1,345	FIBER	DATAMAX/SATO	12
B813130DIS	RESIN	130	410	5.12	1,345	FIBER	DATAMAX/SATO	12
B813152DIS	RESIN	152	410	5.98	1,345	FIBER	DATAMAX/SATO	12
B813165DIS	RESIN	165	410	6.50	1,345	FIBER	DATAMAX/SATO	12
B813040TIS	RESIN	40	600	1.57	1,969	FIBER	DATAMAX/SATO	24
B813053TIS	RESIN	53	600	2.09	1,969	FIBER	DATAMAX/SATO	12
B813080TIS	RESIN	80	600	3.15	1,969	FIBER	DATAMAX/SATO	12
B813083TIS	RESIN	83	600	3.27	1,969	FIBER	DATAMAX/SATO	12
B813110TIS	RESIN	110	600	4.33	1,969	FIBER	DATAMAX/SATO	12
B813152TIS	RESIN	152	600	5.98	1,969	FIBER	DATAMAX/SATO	12

B814 EXTREME PLUS RESIN

Part Number	Formulation	Width (mm)	Length (M)	Width (in)	Length (F)	Core	Printer	Case Quantity
B814040CIS	RESIN	40	360	1.57	1,181	FIBER	DATAMAX/SATO	24
B814053CIS	RESIN	53	360	2.09	1,181	FIBER	DATAMAX/SATO	12
B814064CIS	RESIN	64	360	2.52	1,181	FIBER	DATAMAX/SATO	12
B814071CIS	RESIN	71	360	2.80	1,181	FIBER	DATAMAX/SATO	12
B814076CIS	RESIN	76	360	2.99	1,181	FIBER	DATAMAX/SATO	12
B814080CIS	RESIN	80	360	3.15	1,181	FIBER	DATAMAX/SATO	12
B814083CIS	RESIN	83	360	3.27	1,181	FIBER	DATAMAX/SATO	12
B814089CIS	RESIN	89	360	3.50	1,181	FIBER	DATAMAX/SATO	12
B814102CIS	RESIN	102	360	4.02	1,181	FIBER	DATAMAX/SATO	12
B814108CIS	RESIN	108	360	4.25	1,181	FIBER	DATAMAX/SATO	12
B814110CIS	RESIN	110	360	4.33	1,181	FIBER	DATAMAX/SATO	12

B814114CIS	RESIN	114	360	4.49	1,181	FIBER	DATAMAX/SATO	12
B814120CIS	RESIN	120	360	4.72	1,181	FIBER	DATAMAX/SATO	12
B814128CIS	RESIN	128	360	5.04	1,181	FIBER	DATAMAX/SATO	12
B814130CIS	RESIN	130	360	5.12	1,181	FIBER	DATAMAX/SATO	12
B814140CIS	RESIN	140	360	5.51	1,181	FIBER	DATAMAX/SATO	12
B814152CIS	RESIN	152	360	5.98	1,181	FIBER	DATAMAX/SATO	12
B814165CIS	RESIN	165	360	6.50	1,181	FIBER	DATAMAX/SATO	12
B814220CIS	RESIN	220	360	8.66	1,181	FIBER	DATAMAX/SATO	12
B814040DIS	RESIN	40	410	1.57	1,345	FIBER	DATAMAX/SATO	24
B814053DIS	RESIN	53	410	2.09	1,345	FIBER	DATAMAX/SATO	12
B814064DIS	RESIN	64	410	2.52	1,345	FIBER	DATAMAX/SATO	12
B814076DIS	RESIN	76	410	2.99	1,345	FIBER	DATAMAX/SATO	12
B814080DIS	RESIN	80	410	3.15	1,345	FIBER	DATAMAX/SATO	12
B814089DIS	RESIN	89	410	3.50	1,345	FIBER	DATAMAX/SATO	12
B814096DIS	RESIN	96	410	3.78	1,345	FIBER	DATAMAX/SATO	12
B814102DIS	RESIN	102	410	4.02	1,345	FIBER	DATAMAX/SATO	12
B814114DIS	RESIN	114	410	4.49	1,345	FIBER	DATAMAX/SATO	12
B814120DIS	RESIN	120	410	4.72	1,345	FIBER	DATAMAX/SATO	12
B814127DIS	RESIN	127	410	5.00	1,345	FIBER	DATAMAX/SATO	12
B814128DIS	RESIN	128	410	5.04	1,345	FIBER	DATAMAX/SATO	12
B814130DIS	RESIN	130	410	5.12	1,345	FIBER	DATAMAX/SATO	12
B814152DIS	RESIN	152	410	5.98	1,345	FIBER	DATAMAX/SATO	12
B814165DIS	RESIN	165	410	6.50	1,345	FIBER	DATAMAX/SATO	12
B814040TIS	RESIN	40	600	1.57	1,969	FIBER	DATAMAX/SATO	24
B814053TIS	RESIN	53	600	2.09	1,969	FIBER	DATAMAX/SATO	12
B814080TIS	RESIN	80	600	3.15	1,969	FIBER	DATAMAX/SATO	12
B814083TIS	RESIN	83	600	3.27	1,969	FIBER	DATAMAX/SATO	12
B814110TIS	RESIN	110	600	4.33	1,969	FIBER	DATAMAX/SATO	12
B814152TIS	RESIN	152	600	5.98	1,969	FIBER	DATAMAX/SATO	12

B321 EXTREME RESIN

Part Number	Formulation	Width (mm)	Length (M)	Width (in)	Length (F)	Core	Printer	Case Quantity
D321040CIS	RESIN	40	360	1.57	1,181	FIBER	DATAMAX/SATO	24
D321053CIS	RESIN	53	360	2.09	1,181	FIBER	DATAMAX/SATO	12
D321076CIS	RESIN	76	360	2.99	1,181	FIBER	DATAMAX/SATO	12
D321089CIS	RESIN	89	360	3.50	1,181	FIBER	DATAMAX/SATO	12
D321102CIS	RESIN	102	360	4.02	1,181	FIBER	DATAMAX/SATO	12
D321110CIS	RESIN	110	360	4.33	1,181	FIBER	DATAMAX/SATO	12
D321114CIS	RESIN	114	360	4.49	1,181	FIBER	DATAMAX/SATO	12
D321128CIS	RESIN	128	360	5.04	1,181	FIBER	DATAMAX/SATO	12
D321152CIS	RESIN	152	360	5.98	1,181	FIBER	DATAMAX/SATO	12
D321165CIS	RESIN	165	360	6.50	1,181	FIBER	DATAMAX/SATO	12
D321220CIS	RESIN	220	360	8.66	1,181	FIBER	DATAMAX/SATO	12